INDEX

[New names and new combinations are printed in italics.]

A

Acanthopora spicifera (Vahl.) Boerg., 158.
Acetabularia dentata Sol.-Laub., 141.
Acrochaetium Naeg., 177, 178.
  hancockii (Daws,) Pap., 178.
  sp., 178.
Actinothrichia fragilis (Forssk.) Boerg., 152.
African daisy, 7.
Ageratum spp., 7.
Agiho trees. 7.
Alabang-x, 5, 13-16.
Alibangbang. 7.
Alternanthera versicolor Regel, 7.
Amansia glomerata C. Ag., 159.
Amaranthaceæ, 1, 3, 7.
Amaranthus lividus L., 7.
  spinosus L., 7.
Amphiroa fragilissima (Linn.) Lam., 153.
  sp., 153.
Anabaena sp., 135, 136.
Anadyomenaceæ, 140.
Anomalifrons Ratb., 84, 85.
  lightana Rath., 21, 23, 91.
Anomalifrontinæ Rath.. 23.
Anomura, 29.
Anonaceæ, 223.
Artocarpus communis Forst., 7.
  heterophylla Lam., 7.
Avrainvillea errecta (Berk.) Gepp & Gepp., 143.

B

BANZON, ESTRELLA A., *see* PAYUMO, BRIONES, and BANZON.
Bauhina spp., 7.
Blumea balsamifera (L.) DC, 7.
Boergesenia forbesii (Har.) Feldm., 139.
Bonetella sphaerica (Zan.) Sol.-Laub., 141.
Boodlea composita (Har.) Br., 139.
Bornetella nitida (Har.) Mun.-Chal., 141.
Bothriochloa ewartiana (Don.) C. E. Hubb., 6, 13, 15, 16.
Botoncillo, 7.
Brachygnatha Borr., 22, 56.
Brachynotus harpax Hilg., 95.
Brachyrhyncha Borr., 22.
Brachytrichia quoyi Born. and Flah.. 135.
Brassica chinensis L., 7.
  juncea (L.) Coss., 7.
BRIONES, PACITA R., *see* PAYUMO, BRIONES, and BANZON.
Bryopsis sp., 142.
Bulagak, 223.
Bulakmanok, 7.

C

Caballero, 7.
Caesalpinia pucherrima (L.) Sw., 7.
Cancer horridus (Linn.), 58.
  ranina Linn., 34.
  spinosus Seb., 58.
Calothrix Ag., 171, 172.
  epiphytica W. et G. S. West, 172.
  sp., 172.
  viguieri Frem., 172.
Calmania Laur., 70-73.
  prima Laur., 71-73.
  sculptimana, 71. 72.
  simodænsis Sak., 23, 71, 73.
Camptandriidæ Stimp., 92-94.
Camptandrinæ (Stimp.), 23, 92.
Camptandrium anomalum Shen. 92, 93-95.
  elongatum Rath., 21, 23, 93, 95.
  sexdentatum Stimp., 93.
  sp., 93.
Carcinoplax. 30.
Carpopeltis sp., 154.
Casuarina equisetifolia Forst., 7.
Casuarinaceæ, 1, 3, 7,
Caulerpa cupressoides (West) C. Ag., 142.
  peltata Lam., 142.
  racemosa (Forssk.) J. Ag., 142.
  serrulata (Forssk.) J. Ag., 142.
  sertularioides (Gmel.) Howe, 143.
Celosia argentea L., 7.
Centroceras clavulatum (C. Ag.) Mont., 158.
Ceramiaceæ, 158.
Ceramiales, 158.
Ceramium Roth, 177, 182.
  mazatlanense Daws., 182.
  sp., 183.
  tenuissimum J. Ag., 182.
Ceroplastodes, 196.
Chætangiaceæ, 152.
Chætomorpha ærea (Dill.) Kuetz., 140.
  crassa (C. Ag.) Kuetz., 140.
  linum (Mull.) Kuetz., 140.
  sp., 140.
Champia Desv., 178.
  cæspitosa Daws., 177, 178.
  parvula (C. Ag.) Har., 157.
  sp., 179.
Champiaceæ, 157.
Chondra C. Ag., 177, 179.
  sp., 179.
Chlorophyta, 136, 137.
Chnoospora implexa J. Ag., 148.

Chroococcaceæ, 135.
Chroococcales, 135.
Chrysymeia sp., 157.
CHUA MODESTO T., ANGELICA MAGLAYA, and ALFREDO S. SANTOS. Chemical investigations on Philippine Natural products. I. Zanthoxylum integrifoliolum (Merr.) Merr., 205.
CHUA, MODESTO T., HILDA RAS, and ALFREDO C. SANTOS. Chemical investigations on Philipine natural products, II. Constituents of Uvaria sorzogonensis Presl, 223.
Cladophora Kuetz., 173, 174.
fascicularis (Mart.) Kuetz., 141.
sp., 174.
trichotoma (C. Ag.) Kuetz., 174.
Cladophoraceæ, 140.
Cladophorales, 140.
CLAUDIO, TERESITA R., *see* GONZALES, CLAUDIO, and MANALAC.
Clitoria ternatea L., 7.
Coccochloris sp., 134, 135.
Cock's comb, 7.
Codiaceæ, 143.
Codium arabicum Kuetz., 143.
discoidea Dec., 143.
tomentosum (Hud.) Stack., 143.
Colites. 7.
Colpomenia sinuosa (Roth) Derb. and Sol., 148.
Compositæ, 1. 3, 7.
Conchœcetes adamanicus, 27.
Corallina sp., 153.
Corallinaceæ, 153.
CORNEJO, DOROTEA P., and GREGORIO T. VELASQUEZ. Study on the algal epiphytes of exposed and protected marine waters of Batangas Province, 165.
Corystidæ Don., 22, 51.
Corystoidea Dan., 22, 29, 51.
Cosmonotus Adams and White, 24-26, 29, 31.
grayi Barn., 27, 31.
Cosmos caudatus HBK., 7.
Cruciferæ, 1, 3, 7.
Cryptodromia areolata. 27.
Cryptonemiales, 153.
Cucharita, 7.
Cyanophyta, 173, 184.
Cymonomæ, 28.
Cymonomus, 29.
granulatus Gord., 28.
Cyperaceæ, 1, 3, 7-9.
Cyperus rotundus Linn., 7, 9, 16.
Cyrtorhina Mon., 24-26, 34, 47. 49.
balabacensis Ser. 21, 22, 49, 40.
granulosa, 49-51.

D

Dahlia sp., 7.
Daldorfia spinosissima (Edw.), 22, 58.
Dalumia, 71.
Dapdap, 7.
Dasyaceæ, 158.
Dasycladaceæ, 141.
Dasycladales, 141.
Dasyopsis sp., 158.
Delhi grass, 6, 13-15.
Delonix regia (Boh.) Raf., 7.
Desmia hornemannii Lyng., 154.
Dicanthium aristatum (Poir.) C. E. Hubb., 1, 13, 15, 16.
Dicothrix Zan., 171, 172.
gypsophila (Kuetz.) Born. and Flash., 172.
Dictyosphæria cavernosa (Forssk.) Bœrg., 139.
Dictyota cervicornis Kuetz., 145.
dichotoma (Hud.) Lam., 145.
Dictyotaceæ, 145.
Dictyotales, 145.
Dorippidæ, 28.
Dromia caputmortuorum, 27.
nodosa, 27.
Dromiidæ, 27, 28.
Dromidiopsis cranioides, 27.
Dromiidæ, 27-29.
Dromidiopsis cranioides, 27.
Dromiidæ, 27. 28.
Duhat, 7.

E

Ebaliinæ Stimp., 22.
Ebalinæ Stimp., 53.
Echinochloa colonum (L.) Link., 5, 13, 15, 16.
Ectocarpus Lyng., 175.
indicus Son., 175.
irregularis Kuetz., 175.
sp., 176.
Eleusine indica (L. Gærtn., 5, 13, 15, 16.
Elamenopsis lineatus Edw., 22, 58.
Enteromorpha Link, 173.
compressa (Linn.) Gre., 173.
flexuosa (Wulf.) J. Ag., 173.
intestinalis (Linn.) Link, 137.
intestinales f. tubulosa, 137, 138.
Erythrina indica Lam., 7.
Erythrotrichia Aresch., 177.
sp., 177.
Eucheuma isiforme (C. Ag.) J. Ag., 157.
Eumedoninæ, 73.
Euxanthus, 59.

F

Fagara xanthoxyloides, 203.
Fauchea sp., 157.

Fire tree, 7.
Foxtail, 5, 13-15.

G

Galaxaura fasciculata Kjellm., 152.
oblongata (Ellis and Sol.) Lam., 152. ..
GANA, RITA S. Comparison of the flame photometer and wet methods of sodium and potassium determination in clays and fertilizers, 191.
GATCHALIAN. MIFLORA M., and LEONOR M. SANTOS. The effect of pretreatment and extraction method on yield and quality of fresh kalamansi (Citrus microcarpa) juice, 241. „
Gelidiaceæ, 152.
Gelidiales, 152.
Gelidiella acersa (Forssk.) Fieldm. and Ham., 152.
Gelidiopsis intricata (C. Ag.) Vick., 152.
Gerbera jamesonii Bolus., 7.
Gigartinales, 155.
Glabropilumnus 75.
lævimanus, 77.
lavis Dan., 76.
Gliricidia sepium (Jacq.) Steud., 7.
Gomphrena globosa L., 7.
Gonatonotus, 73.
Goneplacidæ Dana, 23, 77. 93.
Goneplacinæ Miers, 23, 86.
Goneplax Leach, 77.
maldivensis Rath., 77, 78.
nipponensis Tok., 77, 78, 82.
ockelmanni Ser. 21, 23, 24, 77, 78, 82.
renoculis Rath., 77, 78.
sinuatifrons Miers, 23, 77-79, 82.
wolfi Ser., 77, 78.
GONZALES, ANTONIA L., TERESITA R. CLAUDIO, and GUILLERMINA C. MANALAC. Studies on the preparation of new forms of protein isolates suitable for culinary use, 117.
Gracilaria eucheumoides Har., 155.
salicornia (C. Ag.) Daws., 155.
sp., 155, 156.
verrucosa (Hud.) Pap., 155.
Gracilariaceæ, 155.
Gramineæ 8.
Grapsidæ Dan., 23, 84, 93, 95.
Grateloupia filicina (Wulf).) C. Ag., 154.
Grateloupiaceæ, 154.
Griffithsia C. Ag., 177, 179.
ovalis Har., 179.
sp., 158.
Guava, 7.
Guinotellus, 59.
melvillensis Ser., 21, 22, 24, 59, 60.
Gymnopleura Bour., 22, 24, 28, 29.

H

Halimeda macroloba Dec., 144.
opuntia (Linn.) Lam., 144.
Halimede nodosus Edw., 62.
tyche, 70.
Halycoryne wrightii Har., 141.
Halymenia durvillæi Bor., 154.
Helminthocladiaceæ, 151.
Herposiphonia Naeg., 177. 181.
sp., 181.
tenella (C. Ag.) Naeg., 181.
Hippidea, 29.
Hippocarinus hispidus Aldrovani Seb., 58.
Hormogonales, 135.
Homola orientalis, 27.
Homolidæ, 27, 28.
Hormophysa sp., 147.
Hormothamnium sp., 136.
Hydroclathrus clathratus (Bory) Howe, 148.
Hymenosomidæ Stimp., 22, 58.
Hypnea charoides Lam., 156.
cornuta (Lam.) J. Ag., 156.
esperi Bor., 156.
sp., 156.
Hypneaceæ, 156.
Hypocolpus, 59.
perfectus Guin., 61.
punctatus Miers, 61.
rugosus stenocœlus Guin., 61.

I

Ilygrapsus paludicola, 93.
Ipil-ipil, 7.

J

Jania Lam., 177, 183.
rubens (Linn.) Lam., 153.
tenella Kuetz., var. tenella Daws., 183.
Java grass, 5, 13-15.
Jungle grass, 5, 13-15.

K

Kakawati, 7.
Kamachile, 7.
KAPAUAN, PAZ A. The elimination of aluminum interference in the atomic absorption of chromium by hydroxylamine hydrochloride, 17.
Kerria sindica Madh., 198, 200.

L

Langka, 7.
LASERNA, GLORIA, *see* REMO and LASERNA.

Laurencia cartilaginea Lam., 159.
papillosa (Forssk.) Grev., 159.
sp., 159.
Leguminosæ, 1, 3, 7, 8.
Leipocten, 93, 94.
Leptodius granulosus Hasw., 65, 68, 69.
exaratus Guin., 63.
Leptofauchea sp., 157.
Leucæna leucocephala (Lam.) de Wit., 7.
Leucosidæ Dan., 22, 53.
Leveillea Her. et Mart., 177, 181.
jungermannioides (Mart. and Her.) Har., 159, 181.
Liagora Bœrgesenii Lam., 151.
cenomyce Dec., 151.
ceranoides Lam., 111.
farionsa Lam., 151.
Litocheira sculptimana Tesch, 71, 73.
Lophopanopeus japonicus Rath., 65.
Lophoxanthus erosus Par., 66.
Lophozozymus (Lophoxanthus) bellus leucomanus Miers, 69.
Lyreidus de Haan, 24-26, 34.
channeri Woodm., 27, 36.
integra Sak., 27.
tridentatus Sak., 27.
Lyngbya C. Ag., 171.
majuscula Har., 135, 171.

M

Macopa, 209.
Macromedæus, crassimanus Edw., 62.
demani Odh., 62.
distinguendus De Haan, 62.
nudipes Edw., 62, 63.
punctatus Ward, 62.
quinquedentatus Kr., 62.
vœltykowi Lenz, 62.
Macrophthalminæ, 93.
Macrura, 29.
Madæus rouxi Balss, 70.
MAGLAYA, ANGELICA. *see* CHUA, MAGLAYA, and SANTOS.
MAHDIHASSAN, S. Sex differentiation of young lac insects (Kerria sindica) under polarized light, 195.
Makahiya, 7.
Makopa, 7.
MANALAC. GUILLERMINA C., *see* GONZALES, CLAUDIO, and MANALAC.
Marigold, 7.
Mastophora rosea (C. Ag.) Setch., 153.
Medæops edwardsi Guin., 62, 65.
granulosus (Hasw.), 22, 62, 63, 65, 66.
neglectus Balss, 62, 65.
Medæus Dan., 61.
elegans Edw., 22, 62-65.
neglectus Guit., 66.
nœlensis Ward, 69.
ornatus Dan., 62-65, 68.
planifrons Sak., 68.
ranulosus Balss, 69.
ruoxi Balss, 21, 23.
sp., 68.
Melobesia sp., 153.
Menippinæ, 30.
Microdictyon agardhianum Dec., 140.
Miersella haswelli Miers, 62.
Mimosa pudica L., 7.
Monodæus tuberculidens Guin., 63.
Monostroma sp., 137, 138.
Moraceæ, 1, 3, 6, 8.
Morus alba L., 7.
Mulberry, 7.
Mustasa, 7.
Mutha, 7, 16.
Myrtaceæ, 1, 3, 7, 8.

N

Narra, 7.
Nautilocorystes H. Mil., 51.
investogatoris Al., 22, 51.
ocellata Gr., 51.
Neomeris van-bosseæ Howe, 141.
Neoxenophthalmus White, 84-86, *89*.
obscurus (Hend.) 21, 23.
Nostocaceæ, 136.
Notonyx nitidus Edw., 23, 82.
Notopina Ser. and Umali, 22.
Notopinæ, 24, 27, 30, 34.
Notopoides Hend., 24-26. 29, 34, 43.
latus Hend., 27, 36.
Notopus de Haan, 24, 25, 29, 31, 32.
dorsipes Tynd.-Bis., 27, 29, 30. 32.
misakiensis, 24, 27, 32.
ovalis, 32.
Notosceles Bour., 24-26, 34-36, 40, 43, 47.
buvieri (Monod) 35.
chimonis Bour., 22, 35, 40, 43, 44.
chimmonis, 27.
key to the Indo-Pacific species of the genera Raninoides and, 35.
serratifrons (Hend.) 21, 22, 35, 36, 40, 43, 44, 47.
viaderi., 36, 43.

O

Ocypodidæ Ortm., 23, 92, 93.
Oreophorus (Tlos) Edw., 53.
(Tlos) angulatus Rath., 55.
(Tlos) havelocki Laur., 55.
(Tlos), key to the three species of the genus, 55.
(Tlos) muriger Adams and White, 22, 53, 55, 56.
(Tlos) petrus Edw., 55, 56.
Oreotlos Ihle, 55.
Oscillatoriaceæ, 135.
Oxyrhyncha Latr., 22, 56.
Oxystomata Edw., 22, 53.

P

Padina australis Hauch., 145.
sp., 146.
Palmæ, 1, 3.
Paramedæus Guit., 66.
nœlensis Ward, 22, 62, 63, 67, 68.
planifrons Sak., 21, 22, 62, 63, 67-69.
simplex Edw., 22, 62, 63, 67, 68.
Paramola baasi, 27.
Parapilumus, 70.
Parthenope (Rhinolambrus) cybelis Al., 57.
(Rhinolambrus) gracillimanus Ward, 57.
(Rhinolambrus) petalophorus Al., 57.
(Rhinolambrus) rudis Rath., 57.
(Rhinolambrus) *sisimanensis*, 21, 22, 56, 57.
(Rhinolambrus) spinosissima Edw., 58.
(Rhinolambrus) turriger White, 56, 57.
Parthenopidæ Miers, 22, 56.
Parthenopinæ Miers, 22.
PAYUMO, ESTELITA M., PACITA R. BRIONES, and ESTRELLA A. BANZON. Development of drum-dried weaning fools based on indigenous high-protein sources, I. Coco cereal weaning flakes based on coconut protein isolate, 107.
Pechay, 7.
Pela wax scale, 195.
Peleianus Ser., 73.
suluensis Ser., 21, 23, 24, 75-77
Pennisetum polystachyon (L.) Schult. 5, 8, 13, 15, 16.
Peterocarpus indicus Willd., 7.
Peyssonelia sp., 154.
Phæophyta, 145, 174.
Phormidium Kuetz., 171.
crosbyanum Tield.. 135.
Pilea microphylla (L.) Liebm.. 7.
Pilumnopeus sp., 70.
Piluminæ Al., 23, 70, 75.
Pilumnus barbatus, 70.
lavis Dan., 77.
Pilumnopeus, 70.
Pithecolobium dulce (Roxb.) Benth., 7.
Polysiphonia Grev., 177, 180.
gorgoniæ Hra., 160.
sphærocarpa Bœrg., 180.
Polytrias amaura (Buse) O. Ktze., 5, 13, 15, 16.
Psidium guajava L., 7.
Pukinggan, 7.
Punctariaceæ, 148.
Punctariales, 148.

R

Radish, 7.
Ralumia, 71, 73.
dahli 71-73.
Ramulia Balssi, 71-73.
Ranilia Edw., 24, 25, 31, 32.
angustata, 31.
atlantica, 31.
constricta, 31.
formicata, 31.
misakiensis (Sak.) 21, 22, 30, 32-34.
muricata, 31, 32.
orientalis Sak., 21, 22, 24, 27, 29-32; 34.
Ranila stimpsonii, 32.
Ranina Lam., 24-26, 34.
lavis (Latr.), 35.
ranina Barn., 27.
Raninæ, 28.
Raninidæ Dan., 22, 24, 25, 29.
key to the subfamilies and genera of the subfamily, 24.
Raninidea Dan., 24.
Baninæ, 21, 24, 25, 27; 34.
Raninoides de Haan, 24-26, 27, 29, 34-36, 43, 47, 49.
bouvieri Mon., 27.
hendersoni Chop., 22, 27, 35, 40, 43, 44.
nitidus A. Mil., 36.
personatus Hend., 22, 27, 35, 37, 40, 43, 44.
serratifrons Barn., 27.
Raninops Edw., 24, 31.
Raphanus sativus L., 7.
REMO, IRMA C,, and GLORIA LASERNA. Aeropalynological studies in the Makati area, 1968-69, 1.
REMO, IRMA C., and GLORIA LASERNA. Field survey of probable allergenic plants in the Makati area, 1968-69, 13.
REYES, ALFREDO Y. A study of the littoral benthic algæ of the coastal areas of Dumaguete City, 131.
Rhinolambrus contrarius, 57.
Rhodochorton Naeg., 177.
sinicola Dows., 177.
Rhodomelaceæ, 158.
Rhodophyta, 176.
Rhodymeniaceæ, 157.
Rhodymeniales, 157.
Rimas, 7.
Rivulariaceæ, 135.
Rodophyta, 148, 151.
Rosenvingea intricata (J. Ag.) Bœrg., 148.
Rutaceæ, 203.

S

Saccharum sponteum Linn., 6, 13, 15, 16.
Sambong, 7.
Sampalok, 7.
Sandakot-na-bigas, 7.
SANTOS, ALFREDO C., *see* CHUA, MAGLAYA, and SANTOS.
SANTOS, LEONOR M., *see* GATCHALIAN and SANTOS.

Scopimerinæ, 93.
SERENE, RAOUL, and AGUSTIN F. UMALI. The fmaily Raninidæ and other new and rare species of brachyran decapods from the Philippines and adjacent regions, 21.
Shenius Ser., 92, 93.
anomalus Shen, 21. 23, 94.
Simploca howei Gard., 135.
Sinhonocladiaceæ, 139.
Siphonocladiales, 139.
Solieriaceæ, 157.
Sphacelaria Lyng., 175.
furcigera Kuetz., 175.
Spyridia filamentosa (Wulf.) Har., 158.
Squamariaceæ, 154.
Sun flower, 7.
Symethis web., 24-26, 34, 49.
Symploca hydnoides Gom., 136.
Syzygium cumini, 7.
malaccense, 209.
samarangense (Bl.) Merr. and Perr., 7.

T

Tagetes erecta L., 7.
Talahib, 6, 13-15.
Tamarindus indica L., 7.
Thalassigrapsus harpax (Hilg.), 23, 95, 96.
Tithonia diversifolia A. Gray, 7.
Tolypiocladia Schm., 177, 172.
glomerulata (C. Ag.) Schm., 182.
Tlos petrus Edw., 55.
Tridax procumbens, 7.
Turbinaria ornata (Turn.) J. Ag., 147.
sp., 147.
Tymolæ, 28.
Tymolidæ, 27-29.
Tymolinæ, 29.
Tymolus, 29.
japonicus, 28.

U

Udotea flabellum (Ellis & Sol.) Lam., 144.
orientalis Gepp & Gepp, 144.
Ulotrichales, 137.
Ulva fasciata Del. 137, 138.
lactuca Linn. 137, 138.
pertusa Kjellm., 137, 138.
reticulata Forssk., 138.
Ulvaceæ, 137.
UMALI, AGUSTIN F., *see* SERENE and UMALI.
Umbelliferæ, 1, 3.
Uray, 7.
Urticaceæ, 7.
Uvaria catocarpa, 223.
rufa, 223.
sorzogonensis, 223.

V

Valonia ægagrophlia C. Ag., 139.
ventricosa J. Ag., 139.
Valoniaceæ, 139.
Varuninæ Al., 23, 95.
VELASQUEZ, GREGORIO T., *see* CORNEJO and VELASQUEZ.
Vernonia spp., 7.

X

Xanthidæ Al., 22, 58, 67, 73, 75.
Xanthinæ orth., 22, 58, 70.
Xantho distinguendos Klunz., 68.
macgillivrayi Miers, 65.
Xenophthalmus White 84-86.
duplociliatus Sluit., 85.
latifrons Burg., 85.
obscurus Hend., 84, 85, 89-91.
pinnotheroides White, 23, 84-86, 88, 89, 91.
s. str., 85.
Xenophthalmidæ Stimp., 23, 84.
Xenophtalminæ Al., 23, 24, 84, 85.

Y

Yard grass, 5, 13-16.

Z

Zanclifer Hend., 24.
Zanthozylum ailanthoides, 203.
alatum, 203.
budrunga 203.
integrifoliolum (Merr.) Merr., 203, 204, 210, 212, 215.
Zizyphus jujuba, 198.

— 0 —